

Publications (2017)

1. Z.-N. Ng, K.-Y. Chan, Y.-K. Sin, F.-K. Yam, D. Knipp, Sol–Gel Derived Al–Ga Co-Doped ZnO Thin Films Embedded with Microrods, *J. Nanosci. Nanotechnol.* 17 (2017) 348–353. doi:10.1166/jnn.2017.12477.
2. B.W.-C. Au, K.-Y. Chan, Y.-K. Sin, Z.-N. Ng, Hot-point probe measurements of N-type and P-type ZnO films, *Microelectron. Int.* 34 (2017) 30–34. doi:10.1108/MI-08-2015-0067.
3. M.E. Yeoh, K.Y. Chan, Synthesis of dye-sensitised solar cells utilising platinised counter electrode, *Mater. Res. Innov.* 21 (2017) 244–248. doi:10.1080/14328917.2016.1211499.
4. C.L. Cham, A.H. Tan, W.H. Tan, Identification of a multivariable nonlinear and time-varying mist reactor system, *Control Eng. Pract.* 63 (2017) 13–23. doi:10.1016/j.conengprac.2017.03.010.
5. S.S.B.M. Sallah, S.H.M. Ali, P.S. Menon, N. Juhari, M.S. Islam, Implementation of on-chip optical interconnect in high speed digital circuit: Two-stage CMOS buffer, *Asian J. Sci. Res.* 10 (2017) 50–55. doi:10.3923/ajsr.2017.50.55.
6. A. Abedini, A. Rajabi, F. Larki, M. Saraji, M.S. Islam, Structural, magnetic and mechanical properties of hydrous Fe/Ni-based oxide components nanoparticles synthesized by radiolytic method, *J. Alloys Compd.* 711 (2017) 190–196. doi:10.1016/j.jallcom.2017.03.356.
7. S.A. Wahab, S. Islam, M.S. Bhuyan, S. Jahariah, S.H.M. Ali, Investigation on Power Conditioning Electronic Interface Circuit for Piezoelectric Vibration Based Energy Harvesting System, *Res. J. Appl. Sci.* 12 (2017) 78–89.
8. J. Sampe, N.A.A. Semsudin, F.F. Zulkifli, M.S. Islam, M.Z.A. Razak, Hybrid energy harvester based on radio frequency, thermal and vibration inputs for biomedical devices, *Asian J. Sci. Res.* 10 (2017) 79–87. doi:10.3923/ajsr.2017.79.87.
9. K.Y. Choo, S. V Muniandy, K.L. Woon, M.T. Gan, D.S. Ong, Modeling anomalous charge carrier transport in disordered organic semiconductors using the fractional drift-diffusion equation, *Org. Electron.* 41 (2017) 157–165. doi:10.1016/j.orgel.2016.10.041.
10. Y.Q. Wong, H.F. Meng, H.Y. Wong, C.S. Tan, C.Y. Wu, P.T. Tsai, C.Y. Chang, S.F. Horng, H.W. Zan, Efficient semitransparent organic solar cells with good color perception and good color rendering by blade coating, *Org. Electron. Physics, Mater. Appl.* 43 (2017) 196–206. doi:10.1016/j.orgel.2017.01.003.
11. A. Bilal I., A.H. Izhal, L. Lee, M.S. Roslina, M.Y. Nurul Amziah, A Programmable CMOS Delay Line for Wide Delay Range Generation and Duty-Cycle Adjustability, *Pertanika J. Sci. Technol.* 25 (2017) 123–132.
12. B.W.C. Au, K.Y. Chan, Sodium and potassium doped P-type ZnO films by sol-gel spin-coating technique, *Appl. Phys. A Mater. Sci. Process.* 123 (2017) 485. doi:10.1007/s00339-017-1099-7.

13. T.T.V. Yap, A.H. Tan, W.N. Tan, Identification of higher-dimensional ill-conditioned systems using extensions of virtual transfer function between inputs, *J. Process Control.* 56 (2017) 58–68. doi:10.1016/j.jprocont.2017.05.007.
14. V.P. Sirkeli, O. Yilmazoglu, D.S. Ong, S. Preu, F. Kuppers, H.L. Hartnagel, Resonant Tunneling and Quantum Cascading for Optimum Room-Temperature Generation of THz Signals, *IEEE Trans. Electron Devices.* 64 (2017) 3482–3488. doi:10.1109/TED.2017.2718541.
15. Z.S. Joshua, Y.K. Sin, Synthesis of Titanium Oxide for The Application of Water Treatment, *Asia Pacific Environ. Occup. Heal. J.* 3 (2017) 33–39.
16. S.S. MD SALLAH, S.H. MD ALI, P.S. MENON, N. JUHARI, M.S. ISLAM, Comparative Performances of SOI-Based Optical Interconnect vs. Electrical Interconnect in Analog Electronic Applications, *IEICE Trans. Electron.* E100.C (2017) 655–661. doi:10.1587/transele.E100.C.655.
17. M.-E. Yeoh, K.-Y. Chan, Recent advances in photo-anode for dye-sensitized solar cells: a review, *Int. J. Energy Res.* 41 (2017) 2446–2467. doi:10.1002/er.3764.
18. V. Thangasamy, N.A. Kamsani, M.N. Hamidon, S.J. Hashim, Z. Yusoff, M.F. Bukhori, Digital-Controlled Multimode Multiband Power Amplifier with Multiple Gated Transistor, *IETE Tech. Rev. (Institution Electron. Telecommun. Eng. India).* 34 (2017) 48–57. doi:10.1080/02564602.2016.1141079.

Publications (2016)

1. I. Sharuddin, L. Lee, Z. Yusof, Analysis design of area efficient segmentation digital to analog converter for ultra-low power successive approximation analog to digital converter, *Microelectronics J.* 52 (2016) 80–90. doi:10.1016/j.mejo.2016.03.008.
2. C. Schildbach, D.S. Ong, H. Hartnagel, L.-P. Schmidt, Estimation of frequency conversion efficiency of THz devices using a ballistic electron wave swing circuit model, *Semicond. Sci. Technol.* 31 (2016). doi:10.1088/0268-1242/31/6/065003.
3. S.Y. Kok, T.Y. Tou, S.L.S. Yap, S.L.S. Yap, Pulsed laser interference patterning of polyimide grating for dye-doped polymer laser, *J. Nanophotonics.* 10 (2016) 33003. doi:http://dx.doi.org/10.1117/1.JNP.10.033003.
4. S.Y. Chua, X. Wang, N. Guo, C.S. Tan, Range compensation for accurate 3D imaging system, *Appl. Opt.* 55 (2016) 153. doi:10.1364/AO.55.000153.
5. S.J. Teh, Y.K. Sin, K.Y. Chan, N.K. Devaraj, Influences of Stirring Speed and Post Annealing Temperature on the Properties of Zinc Oxide Colloid Prepared by Sol-Gel Spin Coating Method, *Key Eng. Mater.* 701 (2016) 159–163. doi:10.4028/www.scientific.net/KEM.701.159.
6. Z. Yusoff, J. Lees, M.A. Chaudhary, S.C. Cripps, Ferrite toroidal core with a trifilar wound RF broadband transformer design for tracking generators in wideband code division multiple

access envelope tracking RFP systems, *J. Electromagn. Waves Appl.* 30 (2016) 599–611. doi:10.1080/09205071.2016.1138899.

7. H.C. Lin, S.T. Yang, S.H. Ng, H.W. Zan, H.F. Meng, S.R. Liu, C.Y. Chang, S.P. Wu, G.F. Chang, C.H. Hung, H.Y. Wong, Hydro gel light-guiding conjunction for absorptive type multi-ions detection, *Sensors Actuators, B Chem.* 233 (2016) 535–539.

doi:10.1016/j.snb.2016.04.044.

8. M.E. Yeoh, K.Y. Chan, Synthesis of dye-sensitised solar cells utilising platinised counter electrode, *Mater. Res. Innov.* 21 (2017) 244–248. doi:10.1080/14328917.2016.1211499.

9. B. Soon-Fatt, P. Wai-Leong, W. Sew-Kin, Quality of Service Provisioning of Home eNodeB in OFDMA-based Wireless Network, *Int. J. Adv. Comput. Networks Its Secur.* 6 (2016) 37–41.

10. M.Z. Shaiful Azni, H.K. Tan, P.L. Low, N.K. Devaraj, B.H. Ong, T.Y. Tou, Electrodeposited Iron(III) Oxide (α -Fe₂O₃) Thermoelectric Thin Films, *Key Eng. Mater.* 701 (2016) 23–27. doi:10.4028/www.scientific.net/KEM.701.23.

11. K.H. Yeoh, D.S. Ong, C.H.R. Ooi, T.K. Yong, S.K. Lim, Analytical band Monte Carlo analysis of electron transport in silicene, *Semicond. Sci. Technol.* 31 (2016) 065012. doi:10.1088/0268-1242/31/6/065012.

12. S. Chinnaiyan, R. Nirmal, S. Pandyan, Low power dual stack in mtcmos circuits using dynamic logic and sleep transistor techniques, *Far East J. Electron. Commun.* March (2016) 163–170.

13. V.P. Sirkeli, O. Yilmazoglu, S. Al-Daffaie, I. Oprea, D.S. Ong, F. Kijppers, H.L. Hartnagel, Efficiency enhancement of InGa_N/Ga_N light-emitting diodes with pin-doped Ga_N quantum barrier, *J. Phys. D. Appl. Phys.* 50 (2017). doi:10.1088/1361-6463/50/3/035108.

14. T.S. Ong, Y.Y. Kee, R. Chowdhury, S.S. Yap, T.Y. Tou, Effects of concentration profile on charge injection in continuously graded mixed-host organic light emitting diode, *Thin Solid Films.* 618 (2016) 60–65. doi:10.1016/j.tsf.2016.07.005.

15. B.I. Abdulrazzaq, O.J. Ibrahim, S. Kawahito, R.M. Sidek, S. Shafie, N.A.M. Yunus, L. Lee, I.A. Halin, Design of a sub-picosecond jitter with adjustable-range CMOS delay-locked loop for high-speed and low-power applications, *Sensors (Switzerland).* 16 (2016). doi:10.3390/s16101593.

16. K. Asa Deepthi, R. Balachandran, B.H. Ong, K.B. Tan, H.Y. Wong, H.K. Yow, S. Srimala, Physical and electrical characteristics of NiFe thin films using ultrasonic assisted pulse electrodeposition, *Appl. Surf. Sci.* 360 (2016) 519–524. doi:10.1016/j.apsusc.2015.10.181.

Publications (2015)

1. N.S. Che Sulaiman, C.H. Nee, S.L. Yap, Y.S. Lee, T.Y. Tou, S.S. Yap, The growth of nanostructured Cu₂ZnSnS₄ films by pulsed laser deposition, *Appl. Surf. Sci.* 354 (2015) 42–47. doi:10.1016/j.apsusc.2015.02.096.

2. T.W. Reenaas, Y.S. Lee, F.R. Chowdhury, M. Gupta, Y.Y. Tsui, T.Y. Tou, S.L. Yap, S.Y. Kok, S.S. Yap, Femtosecond and nanosecond pulsed laser deposition of silicon and germanium, *Appl. Surf. Sci.* 354 (2015) 206–211. doi:10.1016/j.apsusc.2015.01.073.
3. T. Veeraiyah, K. Noor Ain, H. Mohd Nizar, H. Shaiful Jahari, Y. Zubaida, B. Muhammad Faiz, Low power 18T pass transistor logic ripple carry adder, *IEICE Electron. Express*. 12 (n.d.) 1–12.
4. L.P. Ling, H.M. Khen, T.K. Chu, D.N. Kumari, Y.S. Shan, O.B. Hoong, T.T. Yong, Substrate temperature and background pressure effects on nanostructured zinc oxide thin films for thermoelectric applications, *Int. J. Nanoelectron. Mater.* 8 (2015) 7–14.
5. Z.N. Ng, K.Y. Chan, C.Y. Low, S.A. Kamaruddin, M.Z. Sahdan, Al and Ga doped ZnO films prepared by a sol-gel spin coating technique, *Ceram. Int.* 41 (2015) S254–S258. doi:10.1016/j.ceramint.2015.03.183.
6. M.E. Karim, A.B. Munir, A.W. Reza, F. Muhammad-Sukki, S.H. Mohd Yasin, S.H. Abu-Bakar, R. Abdul Rahim, Too enthusiastic to care for safety: Present status and recent developments of nanosafety in ASEAN countries, *Technol. Forecast. Soc. Change.* (2014). doi:10.1016/j.techfore.2014.07.003.
7. Y.Q. Wong, H.Y. Wong, C.S. Tan, H.F. Meng, Performance optimization of organic solar cells, *IEEE Photonics J.* 6 (2014). doi:10.1109/JPHOT.2014.2337896.
8. M.C. Lee, H.Y. Wong, Investigation on the origin of the anomalous tail bits on nitrated charge trap flash memory, *Microelectron. Reliab.* 55 (2015) 337–341. doi:10.1016/j.microrel.2014.10.013.
9. M.C. Lee, H.Y. Wong, Investigation on the impact of program/erase cycling frequency on data retention of nanoscale charge trap nonvolatile memory, *IEEE Electron Device Lett.* 35 (2014) 918–920. doi:10.1109/LED.2014.2337058.
10. D.S. Ong, H.L. Hartnagel, THz radiation by quasi-ballistic electron reflection in AlSb/InAs/AlSb heterostructures, *Epl.* 109 (2015). doi:10.1209/0295-5075/109/38004.
11. A.H. Tan, K.R. Godfrey, H.A. Barker, Identification of multi-input systems using simultaneous perturbation by pseudorandom input signals, *IET Control Theory Appl.* 9 (2015) 2283–2292. doi:10.1049/iet-cta.2014.0795.
12. M.C. Lee, H.Y. Wong, Investigation on the Charge Loss Mechanisms of Nanoscale Charge Trap Non-Volatile Memory by Using Stretched Exponential Function, *J. Nanosci. Nanotechnol.* 16 (2016) 663–669. doi:10.1166/jnn.2016.12075.
13. A. Saeed, B. Ruthramurthy, W.H. Yong, O.B. Hoong, T.K. Ban, Y.H. Kwang, Structural and dielectric properties of iron doped barium strontium titanate for storage applications, *J. Mater. Sci. Mater. Electron.* 26 (2015). doi:10.1007/s10854-015-3661-4.
14. A.D. Kakumani, B. Ruthramurthy, H.Y. Wong, B.H. Ong, K.-B. Tan, H.K. Yow, Microstructure and Dielectric Properties of Nickel-Doped Ba_{0.7}Sr_{0.3}TiO₃ Ceramics

Fabricated by Solgel Method, *Int. J. Appl. Ceram. Technol.* 13 (2016) 177–184.
doi:10.1111/ijac.12421.

15. A. Saeed, B. Ruthramurthy, T.K. Ban, O.B. Hoong, W.H. Yong, L.K. Pah, Y.H. Kwang, Structural and magnetic properties of iron doped barium strontium titanate ceramic synthesised using slow injection sol–gel technique, *Mater. Technol.* 30 (2015) 140–143.
doi:10.1080/10667857.2015.1112586.

16. A. Saeed, B. Ruthramurthy, W.H. Yong, O.B. Hoong, T.K. Ban, Y.H. Kwang, S. Sreekantan, Structural and electrical properties of nickel–iron thin film on copper substrate for dynamic random access memory applications, *Russ. J. Electrochem.* 52 (2016) 788–795.
doi:10.1134/S1023193516040121.

17. K. Asa Deepthi, R. Balachandran, B.H. Ong, K.B. Tan, H.Y. Wong, H.K. Yow, S. Srimala, Physical and electrical characteristics of NiFe thin films using ultrasonic assisted pulse electrodeposition, *Appl. Surf. Sci.* 360 (2016) 519–524.
doi:10.1016/j.apsusc.2015.10.181.

18. A.H. Tan, C.L. Cham, K.R. Godfrey, Comparison of Three Modeling Approaches for a Thermodynamic Cooling System with Time-Varying Delay, *IEEE Trans. Instrum. Meas.* 64 (2015) 3116–3123. doi:10.1109/TIM.2015.2440555.

19. R. Chowdhury, T.-S. Ong, Y.-Y. Kee, S.-S. Yap, T.-Y. Tou, Numerical and experimental studies of mixed-host organic light emitting diodes, *Curr. Appl. Phys.* 15 (2015) 1472–1477.
doi:10.1016/j.cap.2015.08.011.